

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 Page 1 of 10

## Section 1: Identification of the substance or mixture and the company

### 1.1. Product Identifier

EM-Tec super smooth double-sided carbon tape with white release liner  
The substances do not require registration according to regulation (EC) N. 1907/2006 (REACH).

### 1.2 Relevant applications of the material and uses advised against

Conductive adhesive tape for sample holding in microscopy and surface analysis applications

### 1.3. Company details

Vof Micro to Nano  
Tappersweg 91  
2031ET Haarlem  
Netherlands  
Tel: +31(0)85-2013155  
E: info@microtonano.com

### 1.4 Emergency telephone number

+31(0)85-2013155 (office hours) Vof Micro to Nano, Netherlands

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture according to Regulation EC Nr. 1272/2008

This substance does not meet the criteria for classification in accordance with regulation Nr. 1272/2008/EC

### 2.2 Labeling elements

#### Labelling accordance to Regulation EC. Nr 1272/2008

Not needed

(Contd. on page 2)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E info@microtonano.com  
I www.microtonano.com

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 Page 2 of 10

(Contd. of page 1)

## 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, the substance is not a PBT or a vPvB

## Section 3: Composition / information on components

### 3.1. Substances

Double sided conductive adhesive tape with black adhesive layers filled with carbon black. White release liner on one side. Not considered hazardous under normal usage and room temperature. Can release irritating and or toxic vapours at elevated temperatures > 60°C.

### 3.2 Mixtures

30-50 WT% acrylic adhesive	CAS #: not known	EC #: Not known
<10 WT% carbon black mixed in adhesive	CAS #: 1333-86-4	EC #: 215-609-9
30-50 WT% siliconised white release liner	CAS #: not known	EC #: Not known
15-25 WT% aluminium foil	CAS #: 7429-90-5	EC #: 231-072-3

## Section 4: First aid measures

### 4.1. Description of first aid measures

Contact with eyes:	Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.
Contact with skin:	No special measures necessary.
Inhalation:	No special measures necessary. There is no major dust generation possible.
Ingestion:	Rinse mouth. Seek medical assistance if you feel unwell

### 4.2. Important symptoms and effects, either immediate or delayed

No relevant information available

(Contd. on page 3)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 **Page 3 of 10**

(Contd. of page 2)

## 4.3. Indication of any immediate medical attention and special treatment

General advice: If you feel unwell, seek medical advice; show product label if possible  
If symptoms persist, always call a doctor

## Section 5: Firefighting Measures

### 5.1. Extinguishing media

Water, foam, dry extinguishing powder, ABC powder. Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

Toxic acrylic fumes

### 5.3 Advice to firefighters

Fight fire from a safe distance, with adequate cover.  
Do not move the load if exposed to heat.  
In case of fire: do not breathe fumes.  
Wear self-contained breathing apparatus for fire fighting

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No special measures are necessary.

### 6.2 Environmental precautions

Do not allow to enter public sewers and waterways

### 6.3 Methods and material for containment and clean up

Pick up mechanically

### 6.4 Reference to other sections

For further information see section 7, 8 and 13.

(Contd. on page 4)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 **Page 4 of 10**

---

(Contd. of page 3)

## **Section 7: Handling and storage**

### **7.1. Precautions for safe handling**

No special measures are necessary.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool dry place

### **7.3 Specific end uses(s)**

Conductive double sided adhesive tape for holding samples in EM and analytical applications

## **Section 8: Exposure control and personal protection**

### **8.1. Control parameters**

No ingredients listed in this section. Carbon black is fully mixed and bound into the acrylic adhesive.

### **8.2 Exposure controls**

Control procedures:	Avoid creating or accumulating dust or fine particles Wash hands before breaks and at the end of the work Maintain appropriate working environment
Personal protection:	Protective work clothing
Inhalation:	Not normally required
Hands and skin:	Not normally required
Eyes:	Not normally required

(Contd. on page 5)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 Page 5 of 10

(Contd. of page 4)

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance/physical state:	Black double sided adhesive tape with white release liner
Colour:	Black
Odour:	None
pH	Not applicable
Melting point/range:	Not determined
Boiling point/range:	Not determined
Flammability:	Not determined
Flash point:	Not determined
Evaporation rate:	Not available
Explosion limits: upper limit:	Not determined
lower limit:	Not determined
Vapour pressure:	Not applicable
Relative density:	Not determined
Solubility in water:	Not soluble in water
Auto-ignition:	Not determined
Viscosity:	Not applicable

### 9.2 Other information

None

## Section 10: Stability and reactivity

### 10.1. Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purposes

(Contd. on page 6)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E info@microtonano.com  
I www.microtonano.com

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 Page 6 of 10

(Contd. of page 5)

## 10.4 Conditions to avoid

Contact with incompatible materials

## 10.5 Incompatible materials

Highly chlorinated-fluorinated solvents, nitrogen tetroxide, chlorine gas, Alkali meta; complexes and organic amines.

## 10.6 Hazardous decomposition products

Acrylic fumes, CO, CO<sub>2</sub>

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Information hazard classes as defined in Regulation (EC) Nr. 1272/2008

<b>Inhalation:</b>	Not classified
<b>Skin contact:</b>	Not classified
<b>Eye contact:</b>	Not classified
<b>Sensitisation:</b>	Not classified
<b>Germ cell mutagenicity:</b>	Not classified
<b>Carcinogenicity:</b>	Not classified
<b>Reproductive toxicity:</b>	Not classified
<b>Specific target organ toxicity – single exposure:</b>	Not classified
<b>Specific target organ toxicity – repeated exposure:</b>	Not classified

#### Toxicological data:

No toxicological data available

#### Symptoms related to the physical, chemical and toxicological characteristics

<b>If swallowed:</b>	No effects known
<b>If in eyes:</b>	Generally, not an eye irritant
<b>If inhaled:</b>	No effects known
<b>If on skin:</b>	No effects known
<b>Other information:</b>	Health effects are not known

(Contd. on page 7)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0      **Page 7 of 10**

---

(Contd. of page 6)

### 11.2. Endocrine disrupting properties

Not listed

### 11.3. Information on other hazards

There is no additional information

## Section 12: Ecological information

### 12.1. Aquatic toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

No data available

### 12.3 Bio-accumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Endocrine disrupting properties

Not listed

### 12.7 Hazardous decomposition products

No information available

(Contd. on page 8)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 Page **8** of **10**

(Contd. of page 7)

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Product:** This material and its container must be disposed of in a safe way.  
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

**National regulations:** Disposal should be in accordance with local, state or national legislation.

## Section 14: Transport information

### 14.1. UN number

UN-number: N/A

### 14.2 UN proper shipping name

Proper shipping name: N/A

### 14.3 Transport hazard class(es)

Class: N/A  
ADR/RID-Classification code: N/A

### 14.4 Packing group

Packing: N/A

### 14.5 Incompatible materials

ADR/RID- Environmentally hazardous: N/A  
IMDG-Marine pollutant: N/A  
IATA/ICAO-Environmentally hazardous: N/A

### 14.6 Special precautions for user

ADR/RID-Tunnel code: N/A

(Contd. on page 9)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)



**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705

**Date:** October 5th 2022  
**Version:** 4.0 Page 9 of 10

IMDG-Ems:	N/A	(Contd. of page 8)
IATA/ICAO-PAX:	N/A	
IATA/ICAO-CAO:	N/A	

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Restrictions according to REACH, Annex XVII:** Not listed  
**List of substance subject to authorization (REACH, Annex XIV)/SVHC – candidate list:** Not listed

### 15.2 Chemical safety assessment

No information available

## Section 16: Other information

### RoHS Directive Compliant

This product is fully compliant with the directive 2100/65/EU Annex II (RoHS). It does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's or PBDE's.

### WEEE

This product is not a piece of electrical or electronic equipment, and it therefore not governed by Directive 2002/96/EC on waste electrical and electronic equipment (WEEE)

### Abbreviations:

Asp. Tox	Aspiration hazard
Carc.	Carcinogenicity
Exp.	Exposure
Flam.	Flammable
GHS	Global Harmonised System of Classification of Labelling Chemicals
Irrit.	Irritant
N/A	Not applicable
N/E	Not estimated

(Contd. on page 10)



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec super smooth double-sided carbon tape  
**Document Nr.:** SDS00115000705**Date:** October 5th 2022  
**Version:** 4.0 Page **10** of **10**

---

(Contd. of page 9)

NOEC	No observed effect concentration
LC50	Lethal dose single exposure to causing 50% lethality
LD50	Lethal dose 50% corresponds to causing 50% lethality during a specific time
PBT	Persistent Bio-accumulative and Toxic
WEL	Workplace Exposure Limit
Repr.	Reproductive toxicant
RoHS	Restriction of Hazardous Substance
vPvB	very Persistent and very Bio-accumulative
WEEE	Waste Electrical and Electronic Equipment

This product should be stored, handled and used in accordance with good industrial hygiene practices and in accordance with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe the product from the point of view of safety requirements. It does not guarantee any specific properties.

It is the responsibility of the user to query and verify any information seeming suspect or where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, state, federal and international regulations.

End of document

**Micro to Nano**  
Innovative Microscopy SuppliesTappersweg 91  
2031ET Haarlem  
The NetherlandsT +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)